

FIG. 2A




FIG. 2B




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7




FIG. 8C



FIG. 8B is a perspective view of the device 100 in an open position, showing the internal components and the connection port 120. The device 100 includes a housing 28, a display 118, and a connection port 120. The connection port 120 is shown in an open position, revealing the internal connection mechanism 134. The device 100 is shown in a perspective view, with the housing 28 and the display 118 clearly visible. The connection port 120 is located on the front of the device 100, and the internal connection mechanism 134 is shown in an open position, revealing the internal components. The device 100 is shown in a perspective view, with the housing 28 and the display 118 clearly visible. The connection port 120 is located on the front of the device 100, and the internal connection mechanism 134 is shown in an open position, revealing the internal components.








FIG. 8B








Fig. 8I




Fig. 8K




Fig. 8J




Fig. 8L







FIG. 9D is a perspective view of the device 100 showing the internal components. The device 100 is a rectangular box with a top surface 137. The internal components include a power supply unit 152, a control unit 145, and a fan 158. The power supply unit 152 and control unit 145 are connected to the fan 158. The device 100 is shown in a perspective view from the bottom left corner.




FIG. 9D

FIG. 10 is a perspective view of the device 10 in a closed position. The device 10 is a rectangular box with a front panel 12 and a top panel 14. The front panel 12 has a handle 16 and a lock 18. The top panel 14 has a display 20 and a keypad 22. The keypad 22 includes a numeric keypad 24 and a set of function keys 26. The device 10 is shown in a perspective view from the front-left side.




FIG. 11